

http://www.natsca.org

Biology Curators Group Newsletter

Title: A List of Birds with Known Feather Colourant Systems

Author(s): Ashley, P. J. & Horie, C. V.

Source: Ashley, P. J. & Horie, C. V. (1984). A List of Birds with Known Feather Colourant Systems.

Biology Curators Group Newsletter, Vol 3 No 8, 466 - 472.

URL: http://www.natsca.org/article/1340

NatSCA supports open access publication as part of its mission is to promote and support natural science collections. NatSCA uses the Creative Commons Attribution License (CCAL) http://creativecommons.org/licenses/by/2.5/ for all works we publish. Under CCAL authors retain ownership of the copyright for their article, but authors allow anyone to download, reuse, reprint, modify, distribute, and/or copy articles in NatSCA publications, so long as the original authors and source are cited.

A LIST OF BIRDS WITH KNOWN FEATHER COLOURANT SYSTEMS

P.J. ASHLEY and C.V. HORIE Conservation Department, The Manchester Museum.

A review of the accessible literature has enabled the compilation of the following extensive (though probably incomplete) list of birds for which the feather colourant system has been described. The birds are grouped according to feather colour, which in most cases refer to specific areas of the plumage rather than the overall colour of the bird. It is likely that the colours referred to apply primarily to male birds.

Two major systems are responsible for feather colouration, structural effects and pigments. Structural effects are those which cause interference of light (iridescence) or scattering of light (Tyndall scattering). The pigments found in feathers fall into a limited range of chemical classes; carotenoids, porphyrins and melanins. For a full explanation of animal colourant systems consult Fox and Vevers (1960) or Fox (1976).

Tyndall scattering, which causes blue colouration, frequently occurs in combination with other colouring methods. In the list, Tyndall colours have been used to describe in shorthand such combinations, and are defined as follows:-

Tyndall Blue: Tyndall Scattering alone

Tyndall Purple: " " combined with a red pigment 'filter'

Tyndall Green: " " " a yellow " "

Tyndall Brown: " " " a melanin "

Tyndall Grey: " modified by powder on feather surface

Whereas Tyndall colours are caused by the superimposition of different colourant systems, apposition colours result from the close proximity within the feather of different colours. For example, melanin in the barbule and yellow pigment in the barb gives an olive-green appearance to the feather.

In the cases where pigments are solely responsible for the colouration of feathers, only those examples where the nature of the the pigments is known are included in this list.

Each scientific name is followed by the appropriate reference number(s). Scientific and vernacular names follow Walters (1981).

Colourant System	Scientific Name	Vernacular Name	
PURPLE			
Tyndall Purple """ Apposition (see footnote i) Carotenoid ""	Nyctiornis amicta [1] Chlamydera spp. [1] Paradisaea decora [1] Psittacula cyanocephala [1,18,21] Poephila gouldiae [7,14] Eurylaimus spp. [1] Cotinga spp. [1]	Red-Breasted Bee-Eater Bowerbirds Goldie's Bird of Paradise Plum-Headed Parakeet Gouldian Finch Broadbills Cotingas	
BLUE			

Blue-Naped Mousebird Tits (Blue Tit)

BLUE (cont.)

Tyndall	Blue	(cont.)	Paradisaea rudolphi [1] Pteridophora alberti [1]	Blue Bird of Paradise King of Saxony Bird of Paradise
*11	11		Coracina azurea [1]	Blue Cuckoo-Shrike
11	11		Garrulus glandarius [1]	Common Jay
***	11		Corythaeola cristata [1]	-
Ħ	11		Hypothymis spp. [1]	Blue Monarchs
**	11		Coua caerulea [1]	Blue Coua
**	11		Alcedo atthis [18]	Common or Little Blue
				Kingfisher
11	11		Melopsittacus undulatus [18	B] Budgerigar
11	11		Cyanocitta cristata [22]	Blue Jay
11	Ħ		Irena puella [22]	Fairy Blue Bird
11	11		Passerina cyanea [22]	Indigo Bunting
**	11		Trichoglossus spp. [22]	Lorikeets
**	11		Pitta spp. [22]	Pittas
11	11		Poospiza thoracica [22]	Bay-chested Warbling Finch
11	11		Passerina ciris [22]	Painted Bunting
11	11		Sialia spp. [22]	Bluebirds

GREEN

Tyndall	Green	Ptilinopus spp. [1]	Doves or Fruit Pigeons
11	11	Picus spp. [1].	Woodpeckers
		(e.g. P.viridis)	(Green Woodpecker)
**	†1	Cochoa viridis [1]	Green Cochoa
#1	11	Malaconotus spp. [1]	Shrikes
		(e.g. M.gladiator)	(Green-breasted shrike)
11	11	Coraciidae [1]	Rollers
11	tt	Momotidae [1]	Motmots
**	11	Cissa chinensis [21]	Green Magpie
**	11	Ara ararauna [22]	Blue and Yellow Macaw
11	11	Poospiza thoracica [22]	Bay-chested Warbling-
			Finch
Porphyri	n	Tauraco spp. (except	Turacos
11		T. leucolophus) [14,23]	
**		Musophaga spp. [14,23]	Turacos
Caroteno	oid	Somateria spp. [1]	Eiders
11		Nettapus spp. [1]	Pygmy Geese
11		Rollulus rouloul [1]	Roulroul Partridge -
			female only
			-

OLIVE-GREEN

Apposition	Aegithina tiphia [1]	Common Iora
(see footnote ii)	Carduelis chloris [21]	Greenfinch

YELLOW-GREEN

Apposition	Treron spp. [1]	Green Pigeons
(see footnote iii)	Zosteropidae [1]	White Eyes
Carotenoid	Chlorospingus pileatus	[20]Sooty-Capped Bush Tanager

Colourant System	Scientific Name	Vernacular Name
	YELLOW	
Carotenoid " " Phaeomelanin	Serinus canaria [15] Colaptes auratus [15] Poephila gouldiae [7,14] Gallus gallus [21]	Canary Common Flicker Gouldian Finch Domestic Fowl - chicken down
	SCARLET YELLOW	
Carotenoid	Ramphocelus spp. [4,15]	Tanagers
	ORANGE-RED	
Carotenoid	Rupicola peruviana [18]	Peruvian cock-of-the-rock
	RED	
Porphyrin Carotenoid "	Musophagidae [21,23,26] Bombycilla cedrorum [6,15] Ptilinopus spp. [21] Poephila gouldiae [7,14]	Cedar Waxwing Doves or Fruit Pigeons
	SCARLET RED	
Carotenoid " " "	Piranga ludoviciana [4] Piranga flava [4] Piranga olivacea [3] Endocimus ruber [11,14,15]	Western Tanager Hepatic Tanager Scarlet Tanager Scarlet Ibis
	PINK	
Carotenoid " " " " "	Phoenicopterus roseus [13,14,15,17] Phoenicopterus chilensis [13,14,15,17] Phoenicopterus ruber [13,14,15,16] Phoenicoparrus andinus [13,14,15,16] Phoenicoparrus jamesi [13,14,15,16] Phoeniconaias minor [13,14,15,17]	Rosy or Greater Flamingo Chilean Flamingo Rosy or Scarlet Flamingo Andean Flamingo James' Flamingo Lesser Flamingo
	ROSE PINK	
Carotenoid	Ajaia ajaja [12,14,15]	Roseate Spoonbill
	PINKISH BROWN	
Apposition (see footnote iv)	Fringilla coelebs [18]	Chaffinch - male only

Coloumont System	Scientific Name	Vernacular Name	
Colourant System	Scientific Name	vernacular Name	
	BROWN		
Porphyrin	Strix spp. [5]	Owls	
Tyndall Brown	Lophotis spp. [5] Psittrichas fulgidus Merops apiaster [1]	Bustards [9] Pesquet's Parrot European Bee-eater	
	FAWN GREY		
Apposition (see footnote v)	Parus palustris [18]	Marsh Tit	
	GREY		
Tyndall Grey	Columbidae [21] (e.g. Columba livia)	Pigeons (Feral Pigeon)	
11 11	Gruidae [21] (e.g. Grus grus	Cranes (Grey Crane)	
Apposition	Coracina spp. [1]	Cuckoo-Shrikes	
(see footnote vi)	(e.g. <u>C. polioptera</u>) Parula spp. [1]	(Lesser Cuckoo-Shrike) Parulas	
11 11	Melopsittacus undulat	us [18]Budgerigar	
	BLACK OR DARK	BROWN	
Eumelanin	Corvus spp. [21]	Crows (Carrion Crow)	
ti .	(e.g. <u>Corvus corone</u>) <u>Turdus merula [21]</u>	Blackbird	
		•	
	BLACK		
Eumelanin "	Musophaga spp. [23] Poephila gouldiae [7]	Turacos Gouldian Finch	
Colourant System	Colourant System : Iridescence (Various Colours)		
		·	
Scientific Name Vernacular Name			
Meliphagidae [1] Paradisaea decora [Honey-eaters Goldie's Bird of Paradise	
Nectariniidae [1] Plegadis spp. [1]		Sunbirds Ibises	
Trogonidae [1,8]		Trogons	
Hagedashia hagadash	[1] Hadada	Hadada	
Lamprotornis spp. [Theristicus caudatu		Glossy Starlings White-throated Ibis	
Upupa epops [1]	Ноорое	Ноорое	
Trochilidae [1,19] Chrysococcyx spp. [Humming Birds	
Hirundo rustica [1]		Cuckoos Swallow	
Phalacrocoracidae [Trumpeters Cormorants	
Phalacrocoracidae [1] C		ants	

Colourant System: Iridescence (cont.)

Scientific Name

Vernacular Name

Philomachus pugnax [1] Ruff Cissopsis leveriana [1] Magpie-Tanager Rhinoptilus spp. [1] Coursers Ptilorhynchus violaceus [1] Satin Bowerbird Probosciger alterrimus [1] Palm Cockatoo Phasianus versicolor [1] Green Pheasant Phasianus colchicus [1] Ring-necked Pheasant Teripsiphone spp. [1] Paradise Flycatchers Common Lapwing Vanellus vanellus [1] Dicaeum spp. [1] Flower-peckers Chloroceryle spp. [1] N. and S. American Kingfishers Icteridae [1] Icterids, American Orioles, Cowbirds Parus melanolophus [1] (Vigor's) Black-crested Tit Pitta spp. [1] Pittas Coua caerulea [1] Blue Coua Lophophorus spp. [22] Monal Pheasants Aix sponsa [22] Wood Duck Cairina moschata [22] Muscovy Duck Columba livia [22] Feral Pigeon Pavo cristatus [22] Indian Peafowl (Peacock only) Phaps chalcoptera [22] Bronze-winged Pigeon Ptilinopus pulchellus [22] Crimson-capped Dove Ptilinopus magnificus [22] Magnificent Dove Paradisaea rubra [22,24] Red (King) Bird of Paradise Polyplectron bicalcaratum [22] Grey Peacock Pheasant Butorides virescens [22] Green Heron Anas platyrhynchus [22] Mallard (Drake only) Chrysolophus pictus [22] Golden Pheasant Melagris galloparvo [22] Common Turkey Sturnus vulgaris [22] Common Starling Galbulidae [22] Jacamars

Colourant System: Iridescence superimposing Tyndall colour

Pitta spp.[1]
Pipra spp.(e.g. P.iris)[1]

Tanagra seledon [1]

Pittas ('Mother of Pearl' iridescence)

Manakins(Opal Manakin)('M of P'irid.)

Celadon or Green-headed Tanager
('Gold Texture' iridescence)

<u>Colourant System</u>: Iron Oxide on Feathers (Red, Brown)

Pelecanus onocrotalus [2,10] Great White Pelican
Gypaetus barbatus [2] Lamergeier or Bearded Vulture


Footnote

- (i) Tyndall Blue barbs and carotenoid-red barbules.
- (ii) Eumelanin (black) in barbule tips and yellow pigment in barbs and bases of barbules.
- (iii) Probably Tyndall Blue in barbules and yellow pigment in barbs.
- (iv) Phaeomelanin (light brown?) pigmented areas of feather close to unpigmented (white) areas.
- (v) Phaeomelanin (yellow?) in barbs and eumelanin (black) in barbules.
- (vi) Eumelanin (black) pigmented areas of feather in close proximity to unpigmented (white) areas.

REFERENCES

- 1. AUBER, L. (1957) The distribution of structural colours and unusual pigments in the class Aves. Ibis 99, 463-476.
- * This was the only extensive review of the structural colours of feathers available, it lacks scientific basis and has been outdated by more recent methods and findings.
- 2. BAXTER, R.M. and URBAN, E.K. (1970) On the nature and origins of the feather colouration of the Great White Pelican, <u>Pelecanus onocrotalus</u> in Ethopia. Ibis 112, 336-339.
- 3. BRUSH, A.H. (1967) Pigmentation in the Scarlet Tanager (<u>Piranga olivacea</u>). Condor 69, 549-559.
- 4. BRUSH, A.H. (1970) Pigments in hybrid, variant and melanic Tanagers. Comp. Biochem. Physiol. 36, 785-793,
- 5. BRUSH, A.H. (1978) Avian Pigmentation. Chemical Zoology Vol. 10 Ch. 5. Aves. pp. 141-164. Ed. Florikin, M. and Scheer, B.T.
- 6. BRUSH, A.H. and ALLEN, K. (1963) Astaxanthin in the Cedar Waxwing. Science 142 (NS), 47-48.
- 7. BRUSH, A.H. and SIEGFRIED, H. (1968) Pigmentation and feather structure in genetic variants of Gouldian Finch (Poephila gouldiae). Auk 85, 416-430.
- 8. DURRER, H. and VILLIGER, W. (1966) Iridescent colours of Trogons (Aves. Trogonidae). J. Ornithol. 107 (1), 1-26.
- 9. DYCK, J. (1977) Feather ultrastructure of Pesquet's Parrot Psittachus fulgidus Ibis 119 (3), 364-366.
- 10. FEELY, J.M. (1962) Observations on the breeding of the White Pelican ($\frac{\text{Pelecanus}}{2}$ onocrotalus) at Lake St. Lucia, Zululand, during 1957 and 1958. Lamergeyer $\frac{2}{2}$, 10-20.
- 11. FOX, D.L. (1962 a) Carotenoids of the Scarlet Ibis Comp.Biochem. Physiol. $\underline{5}$, 31-43.
- 12. FOX, D.L. (1962 b) Carotenoids of the Roseate Spoonbill Comp. Biochem. Physiol. 6, 305-310.
- 13. FOX, D.L. (1974) Further carotenoids of an interspecific flamingo. Comp. Biochem. Physiol. 48B, 295-298.
- 14. FOX, D.L. (1976) Animal Biochromes and Structural Colours. Univ. of Cal. Press, L.A. and London.
- 15. FOX, D.L. (1979) Biochromy. Natural Colouration of Living Things. Univ. of Cal. Press, L.A. and London.
- 16. FOX, D.L. and HOPKINS, T.S. (1966) Comparative metabolic fractionation of carotenoids in three flamingo species. Comp. Biochem. Physiol. 17, 841-856.
- 17. FOX, D.L., SMITH, V.E. and WOLFSON, A.A. (1967) Carotenoid selectivity in blood and feathers of Lesser (African), Chilean and Greater (European) flamingos. Comp. Biochem. Physiol. 23, 225-232.
- 18. FOX, H.M. and VEVERS, H.G. (1960) The Nature of Animal Colours. Sidgewick and Jackson, London.

- 19. GREENEWALT, C.A. et al (1960) Iridescent colours of humming bird feathers. J. Opt. Soc. Amer. 50, 1005-1016.
- 20. JOHNSON, N.K. and BRUSH, A.H. (1972) Analysis of polymorphism in the sooty-capped bush tanager. Syst. Zool. 21, 245-262.
- 21. LANDSBOROUGH THOMSON, Sir A.(1969) A new dictionary of birds. Thomas Nelson, London.
- 22. MASON, C.W. (1923) Structural colours in feathers. J. Phys. Chem. 27, 201-251 and 401-447.
- 23. MOREAU, R.E. (1958) Some aspects of the Musophagidae. Part 3 (i) Colour, Pigmentation and Gloss. Ibis 100, 238-270.
- 24. RUTSCHKE, E. (1972) On the substructure of iridescent feathers of birds of paradise (Aves. Paradisaeidae). Z. Wiss. Zool. 185, (1/2), 76-87. (English Summary).
- 25. WALTERS, M. (1981) The Complete Birds of the World. Illustrated Edition. David and Charles, London.
- 26. WITH, T.K. (1967) Uroporphyrin from Turacin: a simplified method. Nature 179, 824.



BIG BROTHER IS WATCHING YOU!